

## Steam combination oven in XL format DGC 6800




Price **\$ 7,199.00** \*

\* GST inclusive

### Steam combination oven in XL format full-fledged steam oven and conventional oven for the highest demands

- Perfect results thanks to MultiSteam technology
- Sets new standards for brilliance and convenience - M-Touch
- Highest convenience - roasting with the wireless food probe
- Convenient - water container is behind motorised lift-up panel
- Plenty of space to be creative - theXL cabinet



DGC 6500, DGC 6600, DGC 6800, in a tall unit, CLST (Installation drawing)

\* Appliances with glass front

\*\* Appliances with metal front


Only for DGC 6805:

Important building-in information:

To operate the DGC 6805 a plumbed water connection and water drainage is required. To plan the installation, refer to the connection requirements in advance of the sketch for water inlet and outlet.

<b>Construction type</b>	
Steam combination oven	•
<b>Design</b>	
PureLine	•
Colour	Stainless steel/Clean Steel
Display	M Touch
<b>Convenience features</b>	
Electronic temperature control of oven operation 40 to 100°C	30 - 225
Electronic temperature control with steam oven operation 40 to 100°C	40 - 100
External steam generation	•
Climate sensor	•
Individual humidity settings in combi cooking	•
Menu cooking without transfer of taste	•
Wireless food probe	•
Automatic programmes with individual setting of the cooking result	•
Keep-warm function	•
<b>Operating modes</b>	
Defrost	•
Automatic programmes	More than 200
Combi cooking	•
Steam cooking	•
Reheating	•
Full grill	•
Economy grill	•
Fan plus	•
Intensive bake	•
Cake plus	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Special applications	•
<b>User convenience</b>	
MyMiele	•
Individual language selection	•
Search function automatic programmes	•
Steam cooking on up to 3 levels at the same time	•
Motorised lift-up fascia	•
Automatic menu cooking	•
Quantity-independent cooking	•
Steam reduction before end of programme	•
Polyphonic audible signals	•
Time of day display	•
Date display	•
Minute minder	•
Time buffer in h	200
Start-stop programming	•
Automatic switch-off	•
Actual temperature display	•
Recommended temperatures	•
Audible signal when desired temperature is reached	•
User programmes	20
Sabbath programme	•
Individual settings	•

## Steam combination oven in XL format DGC 6800



DGC 6600, DGC 6800, DGC 6805 detailed installations drawing for PureLine (Installation drawing)

\* Appliances with glass front

\*\* Appliances with metal front

<b>Door</b>	
CleanGlass door	•
Door with viewing screen	•
Door hinge side	Bottom
<b>Cavity</b>	
XL cavity	•
Cavity volume in l	48
PerfectClean stainless steel cavity	•
No. of rack levels	3
Labelling of rack levels	•
Removable side racks with PerfectClean	•
No. of halogen lamps	double
<b>Cleaning convenience</b>	
Stainless steel front with CleanSteel surface	•
Cavity with PerfectClean	•
Stainless-steel cavity with linen surface structure	•
External steam generator	•
Soak programme	•
Rinse programme	•
Cavity drying programme	•
Quick-release side racks	•
Automatic descaling	•
<b>Steam technology and water supply</b>	
MultiSteam	•
Water reserve for approx. 90 min cooking	•
Fresh water tank	•
Condensate container behind motorised fascia panel	•
Drain filter	•
<b>Efficiency and sustainability</b>	
Energy-saving lighting circuit	•
Rapid heat-up	•
<b>Safety</b>	
Appliance cooling system with cool front	•
Safety cut-out	•
System lock	•
Vapour cooling system	•
<b>Technical data</b>	
Niche width in mm	560-568
Niche height in mm	450-452
Niche depth in mm	555
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	573
Gewicht in kg	41,5
Total connected load in kW	3,4
Voltage in V	230
Fuse rating in A	16
Number of phases	1

## Steam combination oven in XL format DGC 6800

**Standard accessories**

No. of universal baking trays with PerfectClean	1
Combi rack with PerfectClean	1
Side racks with PerfectClean	•
No. of perforated stainless steel containers	2
No. of unperforated stainless steel containers	1
Grease filter	•
Recipe book	•
Connection cable with plug	•
Descaling tablets	•