

S425T80S0A

INTEGRATED 60 CM DISHWASHER, TALLTUB



COOKING PASSION SINCE 1877




Neff TallTUB Dishwasher: 15 place setting capacity, LED display, ultimate flexibility, with brilliant cleaning and drying results.

- ✓ 4 star energy & 5 star water rating: High energy efficiency and low water consumption.
- ✓ SuperSilence: Extremely low operating noise at only 42 dB(A), or just 40 dB(A) when using the ExtraQuiet program.
- ✓ EasyClean: Maintains the wash quality and reliability of your dishwasher throughout its lifetime, with indication reminder.
- ✓ FlexDrawer 3 cutlery drawer for even more flexibility: Provides extra loading flexibility and convenience for cutlery, cups, and large utensils.
- ✓ Chef70°: Neff specialty wash program for powerful cleaning and drying performance of pots and pans.

#### Features

##### Technical Data

Water consumption (l) : 12.0  
Built-in / Free-standing : Built-in  
Height of removable worktop (mm) : 865  
Required niche size for installation (HxWxD) : 865-925 x 600 x 573  
Depth with open door 90 degree (mm) : 1205  
Adjustable feet : Yes - front only  
Maximum adjustability feet (mm) : 60  
Net weight (kg) : 45.0  
Gross weight (kg) : 48.0  
Connection Rating (W) : 2400  
Current (A) : 10  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60  
Length electrical supply cord (cm) : 175  
Plug type : AU plug  
Length inlet hose (cm) : 140  
Length outlet hose (cm) : 190  
EAN code : 4242004219439  
Number of place settings : 15  
Energy consumption (kWh) : 0.64  
Reference programme : Eco  
Total cycle time of reference programme (min) : 170  
Noise level (dB) : 42  
Installation typology : Built-in



4 242004 219439

S425T80S0A

## INTEGRATED 60 CM DISHWASHER, TALLTUB

### Features

#### Design

- Integrated dishwasher, TallTUB - 60 cm wide
- Stainless steel finish
- Stainless steel interior tub
- Integrated door pocket handle
- Time remaining display
- Wash status display
- Control buttons located on the front fascia panel
- Front-adjustable rear foot

#### Programs and functions

- 8 programs:
  - Chef, 70 °C
  - Auto, 45-65 °C
  - Auto, 35-45 °C
  - Eco, 45°C
  - Silence 40dB(A), 50°C
  - Glass wash, 40°C
  - 1 hour wash, 65 °C
  - Quick 29minutes (with use of rinse aid), 45 °C
- 4 special options:
  - EasyClean
  - Intensive Zone
  - VarioSpeed
  - ExtraDry

#### Features

- 15 international place settings
- SuperSilence operation (42 dB)
- FlexDrawer 3 cutlery drawer for even more flexibility
- Flex 3 basket system with coloured touch points
- RackMatic 3 stage height-adjustable top basket, can be positioned at an angle for washing large plates in the bottom basket and tall stem wine glasses in the top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 cup shelves in top basket
- 2 cup shelves in lower basket
- Glass rack in lower basket
- Variable position cutlery basket in lower basket
- Efficient SilentDrive long life brushless motor
- Electronic delay timer: 1-24 hours
- Child door lock
- Childproof control lock
- AquaSensor® automatically adapts water usage depending on the degree of soiling
- LoadSensor automatically optimises water usage, saving water and electricity

#### Technical information

- 4 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption per year, based on Eco 45°C program
- 865 mm x 598 mm x 573 mm

#### Additional information

- Neff AquaStop® water supply device with anti-flood protection
- DosageAssist ensures perfect cleaning results with every wash cycle. The tablet is dropped into a specially engineered tray and is completely dissolved
- LED rinse-aid refill indicator
- hydroDry heat exchanger assists with condensation to help dry dishes
- Alternating spray-arm washing
- 5 Spray levels
- 3 stage self-cleaning filter system
- Automatic detergent aware system detects the type of detergent used and adjusts the wash program accordingly
- Red large item spray head included for washing extra large items such as baking trays and rangehood filters
- Vapor barrier plate included

S425T80S0A

INTEGRATED 60 CM DISHWASHER, TALLTUB

Dimensioned drawings

